LOOK, THINK, CHOOSE

Worksheet 2 of 5

Who Is Awake at Night? | Suggested ages 5-7

Name: _____ Date: _____

Read each question and all the choices. Circle one answer. A grown-up can read aloud; you can point or say your answer, too.

Print on US Letter at actual size, or choose Fit for A4. Use single-sided printing for activity cards. Black-and-white printing is suitable.

7. Which spotted lizard with a thick tail is often active around dusk or at night?

A. Green iguana	B. Monarch butterfly	C. Leopard gecko
		

Tell someone how you decided, or write a few words.

8. Which large river mammal often leaves the water at night to graze?

A. Hippo	B. Orangutan	C. Red squirrel
		

Tell someone how you decided, or write a few words.

Questions 9 to 10

9. Which quill-covered mammal often looks for plants at night?

A. European robin



B. Crested porcupine



C. Honeybee



Tell someone how you decided, or write a few words.

10. Which armored mammal often digs for insects at night?

A. Nine-banded armadillo



B. Ostrich



C. Monarch butterfly



Tell someone how you decided, or write a few words.

Questions 11 to 12

11. Which bushy-tailed mammal often hunts around dusk, dawn, and night?

A. Honeybee	B. Red fox	C. European robin
		

Tell someone how you decided, or write a few words.

12. Which flat-tailed builder is often busy near the water at dusk and night?

A. Beaver	B. Woodpecker	C. Monarch butterfly
		

Tell someone how you decided, or write a few words.

ANSWER GUIDE

For the grown-up

Who Is Awake at Night? | Suggested ages 5-7

Keep this page separate from the child's activity. Read directions aloud when helpful, and invite the child to explain their ideas.

7. C - Leopard gecko

Leopard geckos often emerge when the light is low.

8. A - Hippo

Hippos commonly graze on land after dark.

9. B - Crested porcupine

Crested porcupines are mainly nocturnal.

10. A - Nine-banded armadillo

Nine-banded armadillos commonly forage after dark.

11. B - Red fox

Red foxes can be active at several times, often in low light.

12. A - Beaver

Beavers often work and feed during evening and nighttime hours.

Keep exploring

Choose a printable question set. Talk about how you found each answer, then make up one question together.

Image credits

File:European robin Créteil 2.jpg · Alexis Lours · CC BY 4.0

https://commons.wikimedia.org/wiki/File:European_robin_Cr%C3%A9teil_2.jpg

https://creativecommons.org/licenses/by/4.0

Resized and converted to WebP for this website.

File:Danaus plexippus (7).jpg · Thomas Bresson · CC BY 2.0

https://commons.wikimedia.org/wiki/File:Danaus_plexippus_(7).jpg

https://creativecommons.org/licenses/by/2.0

Resized and converted to WebP for this website.

File:Squirrel posing.jpg · Peter Trimming · CC BY 2.0

https://commons.wikimedia.org/wiki/File:Squirrel_posing.jpg

https://creativecommons.org/licenses/by/2.0

Resized and converted to WebP for this website.

File:Bukit Lawang, orangutan (6931330003).jpg · Arian Zwegers · CC BY 2.0

https://commons.wikimedia.org/wiki/File:Bukit_Lawang,_orangutan_(6931330003).jpg

https://creativecommons.org/licenses/by/2.0

Resized and converted to WebP for this website.

File:Struthio camelus sleeping in Jardim Zoológico de Curitiba.jpg · Wilfredor · CC0

https://commons.wikimedia.org/wiki/File:Struthio_camelus_sleeping_in_Jardim_Zool%C3%B3gico_de_Curitiba.jpg

http://creativecommons.org/publicdomain/zero/1.0/deed.en

Resized and converted to WebP for this website.

File:Iguana Iguana from Margarita Island.jpg · Wilfredor · CC0

https://commons.wikimedia.org/wiki/File:Iguana_Iguana_from_Margarita_Island.jpg

http://creativecommons.org/publicdomain/zero/1.0/deed.en

Resized and converted to WebP for this website.

File:Eublepharis macularius 2009 G6.jpg · George Chernilevsky · Public domain

https://commons.wikimedia.org/wiki/File:Eublepharis_macularius_2009_G6.jpg

Resized and converted to WebP for this website.

File:Baby hippo resting on adult.jpg · frank wouters · CC BY 2.0

https://commons.wikimedia.org/wiki/File:Baby_hippo_resting_on_adult.jpg

https://creativecommons.org/licenses/by/2.0

Resized and converted to WebP for this website.

File:Crested Porcupine (Hystrix cristata).jpg · Cliff from I now live in Arlington, VA (Outside Washington DC), USA · CC BY 2.0

https://commons.wikimedia.org/wiki/File:Crested_Porcupine_(Hystrix_cristata).jpg

https://creativecommons.org/licenses/by/2.0

Resized and converted to WebP for this website.

File:European honey bee extracts nectar.jpg · John Severns (Severnjc) · Public domain

https://commons.wikimedia.org/wiki/File:European_honey_bee_extracts_nectar.jpg

Resized and converted to WebP for this website.

File:Tatu (dasypus novemcinctus), Uruguay, 2020.jpg · Enrique González · CC BY 4.0

https://commons.wikimedia.org/wiki/File:Tatu_(dasypus_novemcinctus),_Uruguay,_2020.jpg

https://creativecommons.org/licenses/by/4.0

Resized and converted to WebP for this website.

File:Vulpes vulpes standing in snow.jpg · V. Bern / U.S. Fish and Wildlife Service · Public domain

https://commons.wikimedia.org/wiki/File:Vulpes_vulpes_standing_in_snow.jpg

Resized and converted to WebP for this website.

File:Beaver font hill 4.27.19 DSC 1110.jpg · lwolfartist · CC BY 2.0

https://commons.wikimedia.org/wiki/File:Beaver_font_hill_4.27.19_DSC_1110.jpg

https://creativecommons.org/licenses/by/2.0

Resized and converted to WebP for this website.

File:Dendrocopos major (feeding).jpg · Hobbyfotowiki · CC0

https://commons.wikimedia.org/wiki/File:Dendrocopos_major_(feeding).jpg

http://creativecommons.org/publicdomain/zero/1.0/deed.en

Resized and converted to WebP for this website.