LOOK, THINK, CHOOSE

Worksheet 4 of 5

Who Is Awake at Night? | Suggested ages 5-7

Name: _____ Date: _____

Read each question and all the choices. Circle one answer. A grown-up can read aloud; you can point or say your answer, too.


Print on US Letter at actual size, or choose Fit for A4. Use single-sided printing for activity cards.
Black-and-white printing is suitable.

19. Which long-eared hopper is often active around dawn and dusk?

A. Monarch butterfly	B. Grasshopper	C. Rabbit
		

Tell someone how you decided, or write a few words.

20. Which rusty-red, ring-tailed mammal is often active at dawn or dusk?

A. Red panda	B. Red squirrel	C. Hummingbird
		

Tell someone how you decided, or write a few words.

Questions 21 to 22

21. Which orange-and-black insect usually flies and visits flowers by day?

A. Luna moth



B. Monarch butterfly



C. Little brown bat




Tell someone how you decided, or write a few words.

22. Which hive-building insect commonly gathers nectar in daylight?

A. Honeybee



B. Barn owl



C. Hedgehog



Tell someone how you decided, or write a few words.

Questions 23 to 24

23. Which four-winged insect commonly hunts around ponds in daylight?

A. Luna moth	B. Little brown bat	C. Dragonfly
		

Tell someone how you decided, or write a few words.

24. Which bushy-tailed tree mammal is usually active in daylight?

A. Raccoon	B. Red squirrel	C. Hedgehog
		

Tell someone how you decided, or write a few words.

ANSWER GUIDE

For the grown-up

Who Is Awake at Night? | Suggested ages 5-7

Keep this page separate from the child's activity. Read directions aloud when helpful, and invite the child to explain their ideas.

19. C - Rabbit

Rabbits are often busiest in the softer light of dawn and dusk.

20. A - Red panda

Red pandas often feed during cooler twilight hours.

21. B - Monarch butterfly

Monarch butterflies are daytime fliers.

22. A - Honeybee

Honeybees usually forage when there is daylight and suitable weather.

23. C - Dragonfly

Dragonflies use their large eyes to hunt during the day.

24. B - Red squirrel

Red squirrels usually find food during the day.

Keep exploring

Choose a printable question set. Talk about how you found each answer, then make up one question together.

Image credits

File:European robin Créteil 2.jpg · Alexis Lours · CC BY 4.0

https://commons.wikimedia.org/wiki/File:European_robin_Cr%C3%A9teil_2.jpg

https://creativecommons.org/licenses/by/4.0

Resized and converted to WebP for this website.

File:Tyto alba (Scopoli, 1769).jpg · Michael Gäbler · CC BY 3.0

https://commons.wikimedia.org/wiki/File:Tyto_alba_(Scopoli,_1769).jpg

https://creativecommons.org/licenses/by/3.0

Resized and converted to WebP for this website.

File:Danaus plexippus (7).jpg · Thomas Bresson · CC BY 2.0

https://commons.wikimedia.org/wiki/File:Danaus_plexippus_(7).jpg

https://creativecommons.org/licenses/by/2.0

Resized and converted to WebP for this website.

File:RubyThroatedHummingbird(Crop).jpg · Joe Schneid, Louisville, Kentucky · CC BY 3.0

https://commons.wikimedia.org/wiki/File:RubyThroatedHummingbird(Crop).jpg

https://creativecommons.org/licenses/by/3.0

Resized and converted to WebP for this website.

File:Little brown bat in cave myotis lucifugus.jpg · Moriarty Marvin, U.S. Fish and Wildlife Service · Public domain

https://commons.wikimedia.org/wiki/File:Little_brown_bat_in_cave_myotis_lucifugus.jpg

Resized and converted to WebP for this website.

File:Squirrel posing.jpg · Peter Trimming · CC BY 2.0

https://commons.wikimedia.org/wiki/File:Squirrel_posing.jpg

https://creativecommons.org/licenses/by/2.0

Resized and converted to WebP for this website.

File:Procyon lotor (Common raccoon).jpg · Cary Bass-Deschênes · CC BY 3.0

https://commons.wikimedia.org/wiki/File:Procyon_lotor_(Common_raccoon).jpg

https://creativecommons.org/licenses/by/3.0

Resized and converted to WebP for this website.

File:Erinaceus roumanicus 2020 G2.jpg · George Chernilevsky · Public domain

https://commons.wikimedia.org/wiki/File:Erinaceus_roumanicus_2020_G2.jpg

Resized and converted to WebP for this website.

File:European honey bee extracts nectar.jpg · John Severns (Severnjc) · Public domain

https://commons.wikimedia.org/wiki/File:European_honey_bee_extracts_nectar.jpg

Resized and converted to WebP for this website.

File:Luna Moth (Actias luna) on foliage.jpg · Abigail Staffelbach · CC0

https://commons.wikimedia.org/wiki/File:Luna_Moth_(Actias_luna)_on_foliage.jpg

http://creativecommons.org/publicdomain/zero/1.0/deed.en

Resized and converted to WebP for this website.

File:ComputerHotline - Caelifera sp. (by).jpg · Thomas Bresson · CC BY 2.0

https://commons.wikimedia.org/wiki/File:ComputerHotline_-_Caelifera_sp._(by).jpg

https://creativecommons.org/licenses/by/2.0

Resized and converted to WebP for this website.

File:Wild rabbit (27990033777).jpg · Rolf Dietrich Brecher from Germany · CC BY 2.0

https://commons.wikimedia.org/wiki/File:Wild_rabbit_(27990033777).jpg

https://creativecommons.org/licenses/by/2.0

Resized and converted to WebP for this website.

File:Ailurus fulgens Chengdu 20140325 2.jpg · sharonang · CC0

https://commons.wikimedia.org/wiki/File:Ailurus_fulgens_Chengdu_20140325_2.jpg

http://creativecommons.org/publicdomain/zero/1.0/deed.en

Resized and converted to WebP for this website.

File:Anax imperator qtl2.jpg · Quartl · CC BY 3.0

https://commons.wikimedia.org/wiki/File:Anax_imperator_qtl2.jpg

https://creativecommons.org/licenses/by/3.0

Resized and converted to WebP for this website.